



**Chemicals**

## Gasola Soft-Set

Our top-selling general purpose PTFE sealant. Perfect for new pipes. Stays pliable in cold temperatures, non-hardening, non-separating, non-toxic. Sold in case quantities only.

Item No.	Description	List	Qty
SS01	1/8 oz tube Soft-Set Thread Sealant	1.04	100
SS02	2 oz tube	4.00	36
SS04	1/4 pint	11.36	24
SS08	1/2 pint	16.76	24
SS16	1 pint	27.93	12
SB32	1 quart	51.67	6
SS32	1 quart flat top cans	50.69	6



SS16

## Gasola NT

Soft setting for applications requiring grit-free non-PTFE compounds. No fillers to contaminate gas lines. For use when non-PTFE sealant is preferred. Sold in case quantities only

Item No.	Description	List	Qty
NT08	1/2 pint brush top can Gasola-NT Thread Sealant	15.89	24
NT16	1 pint	26.53	12



NT16

## Gasola JC30 High Fill

For damaged, irregular, mis-cut and straight threads. Vegetable oil based, thick consistency. 10-15% more solids than conventional sealants. Sold in case quantities only.

Item No.	Description	List	Qty
JC04	1/4 pt brush top can Gasola High-Fill Thread Sealant	15.98	24
JC16	1 pint	36.76	12



JC16

## Gasola Hard Set

Hard setting sealant for permanent joint. Sold in case quantities only.

Item No.	Description	List	Qty
BT04	1/4 pt brush top can Gasola Hard Set	21.16	24
BT08	1/2 pint	31.91	24
BT16	1 pint	47.29	12
FT32	1 quart flat top	79.53	6



PB16-N

## PLS2

Ideal for pneumatic and LPG applications. CSA and UL listed. Sold in case quantities only.

Item No.	Description	List	Qty
PB04-N	1/4 pint brush top can PLS2 Premium Sealant	18.69	24
PB16-N	1 pint	63.58	6



GH16

## Gasola 100

Ideal for use on systems with 100% methanol, ethanol, alcohol and highly corrosive chemicals. Soft setting. Sold in case quantities only.

Item No.	Description	List	Qty
GH04	1/4 pint brush top can Gasola-100 soft-set	26.80	12
GH08	1/2 pint	38.13	12
GH16	1 pint	64.73	6



AS05

### Fas-Seal

Anaerobic thread sealant. Sold in case quantities only.

Item No.	Description	List	Qty
AS05	Fas-Seal-ATS Non Shrinking 50ml tube	25.29	10
AS25	Fas-Seal-ATS Non Shrinking 250ml tube	66.00	10

### PTFE Rope

Ideal for valves and faucet packing. Sold in case quantities only.

Item No.	Description	List	Qty
ZJ11	3/32"od x 25ft coils Zip Joint PTFE Rope	21.86	6
ZJ12	3/32"od x 50ft	35.54	6
ZJ13	5/32"od x 25ft	43.45	6



GM12R

### RTV Gasket Maker

Acetoxycure RTV silicone sealant which provides a long-lasting flexible seal and excellent adhesion to most any surface. Temperature range: - 80 to 450°F. Sold in case quantities only.

Item No.	Description	List	Qty
GM12B	Silicone Gasket Maker Black, 7.25 oz aerosol	18.38	12
GM12R	Silicone Gasket Maker Red, 7.25 oz aerosol	18.38	12
GM12C	Silicone Gasket Maker Clear, 7.25 oz aerosol	18.38	12
GM12BL	Silicone Gasket Maker Blue, 7.25 oz aerosol	18.38	12

### Plumbers Grade PTFE Tape

Economy grade PTFE tape. Sold in case quantities only.

Item No.	Description	List	Qty
1901D	1/2" x 520" rolls Plumbers Grade PTFE Tape	.53	100
1901E	3/4" x 520"	.98	100
1901F	1" x 520"	1.64	50

1901D



## Pink PTFE Tapes

Designed for sealing water and or steam lines. UL listed thread sealant 131N. Meets MIL Spec MIL-AA-58092. Sold in cast quantities only.

Item No.	Description	List	Qty
PT80-24	1/2" x 260" rolls Pink Thred Tape	5.02	24
PT80	1/2" x 260"	4.93	144

## Industrial Grade PTFE Tapes

UL listed thread sealant 561R (except standard density). Meets MIL spec MIL-T-27730A or AA-58092. Temperature rating - 400 to 500°F. Pressure range up to 10,000 psi. Can be used for oxygen. Sold in case quantities only.

Item No.	Description	List	Qty
TT23	3/4" x 288" rolls High-density Industrial Grade PTFE	6.44	24
TT33	3/4" x 576"	9.42	24
TT41	1/2" x 520"	6.16	144

TT53	3/4" x 260" rolls Normal-density Industrial Grade PTFE	4.87	24
TT54	3/4" x 520"	7.18	24
TT60	1/2" x 260"	3.07	144
TT61	1/2" x 520"	4.67	144

ZT12	3/4" x 250" rolls Standard-density Tape	1.87	100
ZT13	3/4" x 500"	2.78	100
ZT20	1/2" x 260"	1.56	144
ZT21	1/2" x 520"	2.82	144
ZT51	1" x 250"	4.56	100
ZT60	2" x 260"	6.24	144

## Green PTFE Tapes

Designed for sealing oxygen based lines. UL listed thread sealant 131N. Meets MIL Spec MIL-AA-58092. Sold in cast quantities only.

Item No.	Description	List	Qty
GT90	1/2" x 260" rolls Green Thred Tape	5.09	144

## Yellow PTFE Tapes

Designed for chemical installations and sealing lines carrying natural gas, propane, butane and oil. CSA approved, UL listed thread sealant 131N, Meets MIL Spec MIL-AA-58092. Sold in cast quantities only.

Item No.	Description	List	Qty
YT70-24	1/2" x 260" rolls Yellow Thred Tape	5.18	24
YT70	1/2" x 260"	5.09	144
YT71	1/2" x 520"	8.82	100
YT75	1" x 520"	14.18	100

## Nickel Tape for Stainless Steel

Designed for use on SS threads. Nickel base helps prevent seizing and galling. UL listed thread sealant 561R. Meets MIL Spec MIL-T-27730A. Sold in cast quantities only.

Item No.	Description	List	Qty
SA26	1/2" x 260" rolls Nickel Coated Tape for SS threads	8.40	40
SA26-34	3/4" x 260"	11.11	40



  
Chemicals



## Free All Deep Penetrating Oil

Penetrates rust, scale and corrosion instantly! Sold in case quantities only.

Item No.	Description	List	Qty
RE01	2oz aerosol Free All Penetrating Oil	2.69	25
RE06	6oz aerosol	6.22	12
RE12	12oz aerosol	9.84	12
FS16	1 pint spray bottle	13.04	12
FA28	1 gallon	51.49	4
FA55	55 gallon drum	2298.33	1

## Lube-It-All

Lubricant contains molybdenumdisulphide for superior performance. Silicone free and it displaces 1,200 times its volume in water on surfaces and repels moisture to prevent corrosion. Temperature range: - 300 to 450° F. Sold in case quantities only.

Item No.	Description	List	Qty
LA06	6 oz aerosol Lube-It-All Lubricant	5.93	12
LA12	12 oz aerosol	9.38	12

## White Grease

White lithium grease. Sold in case quantities only.

Item No.	Description	List	Qty
WG16	White Grease 14 oz aerosol	9.89	12



FA12



LA12



WG16



## Anti-seizes

Non-hardening, non-drippng. Exceeds MIL spec MIL-A907D. Sold in case quantities only.

Item No.	Description	List	Qty
TG04	1/4 pint brush top can General Purpose Anti-seize	10.64	24
TG16	1 pint	20.60	12

CG04	1/4 pint brush top can Copper Anti-seize	11.64	24
------	--	-------	----

NG04	1/4 pint brush top can Nickel Anti-seize	14.98	24
NG16	1 pint	33.24	12

## Cutting Oils

Light and dark cutting oils are both listed by the EPA and OSHA as non-carcinogenic. Sold in case quantities only.

Item No.	Description	List	Qty
WL28	1 gallon Light Cutting Oil	30.22	6
WL32	1 quart	15.82	12

WD28	1 gallon Dark Cutting Oil	27.89	6
WD32	1 quart	14.42	12



WD32

## Thread Locker

Holds nuts and bolts in place when exposed to vibration. Meets MIL spec MIL-S-46163A. Sold in case quantities only.

Item No.	Description	List	Qty
LTL10	FasLock Thread Locker Light Strength 10 ml bottle	12.44	10
MTL10	FasLock Thread Locker Medium Strength 10 ml bottle	12.44	10



## Water Finding Paste

Paste will turn yellow-green if it comes in contact with water. Sold in case quantities only.

Item No.	Description	List	Qty
WT25	Water Finding Paste 2.5oz tube	5.09	24
WF25	Water Finding Paste 3oz tub	5.80	24



WT25

## Expanding Foam

Insulates and seals cracks, gaps and openings to create an air tight bond. 3 to 1 expansion factor. Dries to the touch in 30 minutes, cures in four hours. Sold in case quantities only.

Item No.	Description	List	Qty
EF12	Expanding Foam 12 oz aerosol	9.78	12



EF12

## Power Scrub

Formulated with pumice for the toughest grime. Clean hands with or without water. Sold in case quantities only.

Item No.	Description	List	Qty
PS15	Power Scrub Hand Cleaner 15 oz	5.78	12
PS28	Power Scrub Hand Cleaner 1 gallon pump	23.71	4

## SS Polish

Removes tarnish, residues and oxidation. Safe for use in food preparation areas. Sold in case quantity only.

Item No.	Description	List	Qty
SC16	Stainless Steel Polish 16oz aerosol	10.78	12



SC16

Power Scrub  
PS28 and PS15





TW90

**Tub-O-Towels**

Removes grease, tar, ink, paint, permanent marker, PVC cement. Towels measure 10" x 12". Contains lanolin, aloe vera and vitamin E. Tubs have 90 towels.

Item No.	Description	List	Qty
TW01-50	Tub-O-Towels Counter Display Tub 25 foil pouches	45.55	1
TW01-100	Tub-O-Towels Counter Display Tub 100 foil pouches	82.22	1
TW90	Tub-O-Towels Tub contains 90 towels	25.87	6
TW90D	Tub-O-Towels Floor Display, 30 tubs	698.67	1



FM10

**Merchandiser**

Item No.	Description	List	Qty
FM10	Floor Merchandiser	382.07	1

**Epoxy Putty**

Two part epoxy putty, when mixed together it hardens like steel in eight minutes. Temperature rating: - 100 to 600°F. Good on pressures up to 300 psi. Sold in case quantities only.

Item No.	Description	List	Qty
EP04	Epoxy Putty 4 oz tubs Counter display box	10.47	24



EP04

**Leak Detector**

Formulated for use on all types of pipe including CPVC. Non-toxic and Non-corrosive. Temperature range 28 to 180° F. Sold in case quantities only.

Item No.	Description	List	Qty
LT08	Gasoila Leak Tech Gold 8oz bottle	5.64	12
LS16	1 pint spray bottle	9.36	12
LT28	1 gallon	29.84	4
LT55	55 gallon drum	1029.24	1




LS16

## Cable Ties White

Tough nylon cable ties have hundreds of uses. Sold by the bag only.

FPC #	Length Inches	Tensile Strength	Color	Units Per Pack	Packs Per Case	Price Per Bag	Price Per Case
CT04	4	18	Natural	100	10	\$1.06	\$10.65
CB04	4	18	Black	100	10	\$1.17	\$11.73
CT06	6	18	Natural	100	10	\$2.91	\$29.14
CB06	6	18	Black	100	10	\$3.71	\$37.10
CT08-18	8	18	Natural	100	10	\$4.10	\$40.97
CB08-18	8	18	Black	100	10	\$4.38	\$43.75
CT05	5	40	Natural	100	10	\$2.70	\$26.95
CB05	5	40	Black	100	10	\$4.09	\$40.90
CT08	8	40	Natural	100	10	\$2.98	\$29.84
CB08	8	40	Black	100	10	\$3.22	\$32.25
CT07	7	50	Natural	100	10	\$3.29	\$32.85
CB07	7	50	Black	100	10	\$3.54	\$35.35
CT11	11	50	Natural	100	10	\$5.72	\$57.17
CB11	11	50	Black	100	10	\$6.27	\$62.71
CT14	14	50	Natural	100	10	\$6.24	\$62.42
CB14	14	50	Black	100	10	\$6.87	\$68.69
CT17	17	50	Natural	100	10	\$12.81	\$128.05
CB17	17	50	Black	100	10	\$13.27	\$132.72
CT08-120	8	120	Natural	100	10	\$13.36	\$133.58
CB08-120	8	120	Black	100	10	\$12.52	\$125.21
CT14-120	14	120	Natural	100	10	\$13.18	\$131.83
CB14-120	14	120	Black	100	10	\$13.61	\$136.10
CT18	18	120	Natural	100	10	\$27.22	\$272.21
CB18	18	120	Black	100	10	\$37.43	\$374.29
CT24	24	175	Natural	50	5	\$13.53	\$67.67
CB24	24	175	Black	50	5	\$14.89	\$74.46
CT30	30	175	Natural	50	5	\$16.80	\$84.00
CB30	30	175	Black	50	5	\$17.78	\$88.92
CT36	36	175	Natural	50	5	\$18.82	\$94.11
CB36	36	175	Black	50	5	\$19.30	\$96.49
CT48	48	175	Gray	50	5	\$35.84	\$179.19
CB48	48	175	Black	50	5	\$36.79	\$183.94



**Binding • Carrying • Shipping • Organizing  
Installing • Holding • Security • Safety**



Phone: 800-527-8727



Fax: 574-234-2562